

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	617	(index key) near4 (quality) near4 (flag value indicator character)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 13:14
L2	283	(index key) near2 (quality) near2(flag value indicator character)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 13:14
L3	1	(index key) near2 (quality) near2 (flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 13:14
L4	0	((index key) adj (contain\$4 includ\$4 consist\$4 compris\$4)) near2 (quality) near2 (flag value indicator character)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 13:15
L5	14	((index key) adj2 (contain\$4 includ\$4 consist\$4 compris\$4)) near4 (quality) near4 (flag value indicator character)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 13:33
L6	14	((index key) adj2 (contain\$4 includ\$4 consist\$4 compris\$4 has)) near4 (quality) near4 (flag value indicator character)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 13:35
L7	60	(index key) near4 (contain\$4 includ\$4 consist\$4 compris\$4 has associat\$4) near4 (quality) near4 (flag value indicator character)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 14:06
L8	1	(crude near2 (key index)) with (point link associat\$4) with (clean\$4 complet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 14:07

## EAST Search History

L9	6	(incomplete near2 (key index)) with (point link associat\$4) with (clean\$4 complet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 14:08
L10	15	((unspecific coarse) near2 (key index)) with (point link associat\$4) with (clean\$4 complet\$4 fine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 14:25
L11	4662	707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 14:25
L12	1	L11 and (clean\$4 near2 data) and ((key or index) near2 (point\$4 or link\$4) near2 (clean or valid or proper or correct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 14:26
L13	8	L11 and ((data or record or entry or information) near2 (match\$4 or query\$4 or selecting)) same ((fuzzy or "near") near2 (match\$4 or comparing or comparison or compare))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 14:26
S1	1499	(clean\$4 or correct\$4 or modif\$6 or edit\$4) near2 ((dirty or corrupt or incorrect or mistaken or false) near2 (data or record or entry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:19
S2	141	S1 and "707"/\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:19
S3	112	S1 and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 14:31

## EAST Search History

S4	44	S3 and ((query\$4 or select\$4 or find\$4) near2 (record or entry or merchant or object or row or element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/15 15:01
S5	11	(clean\$4 near2 data) and ((key or index) near2 (point\$4 or link\$4) near2 (clean or valid or proper or correct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 14:25
S6	193	((data or record or entry or information) near2 (match\$4 or query\$4 or selecting)) same ((fuzzy or "near") near2 (match\$4 or comparing or comparison or compared))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 15:14
S7	189	((data or record or entry or information) near2 (match\$4 or query\$4 or selecting)) same ((fuzzy or "near") near2 (match\$4 or comparing or comparison or compare))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 14:26
S8	193	((data or record or entry or information) near2 (match\$4 or query\$4 or selecting)) same ((fuzzy or "near") near2 (match\$4 or comparing or comparison or compare\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 17:38
S9	149	S8 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 15:52
S10	11	S9 and ((quality or success or complet\$4 or percentage) near2 (flag or indicator or value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 15:17
S11	5	S9 and ((no adj2 match\$4) (unmatch\$4) failure) same ((add adding insert\$4 creat\$4 generat\$4) near2 (entry or record or data or new or another))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 15:55

## EAST Search History

S12	1499	(clean\$4 or correct\$4 or modif\$6 or edit\$4) near2 ((dirty or corrupt or incorrect or mistaken or false) near2 (data or record or entry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 15:55
S13	144	S12 and ((no adj2 match\$4) (unmatch\$4) failure) same ((add adding insert\$4 creat\$4 generat\$4) near2 (entry or record or data or new or another))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 17:26
S14	2	S13 and ((data or record or entry or information) near2 (match\$4 or query\$4 or selecting)) same ((fuzzy or "near") near2 (match\$4 or comparing or comparison or compare\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 15:56
S15	6	S12 and ((no adj2 (match\$4 compare or comparison or comparing)) (unmatch\$4) (fail\$4 near2 (match\$4 or compare or comparison or comparing))) same ((add adding insert\$4 creat\$4 generat\$4) near2 (entry or record or data or new or another))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 15:59
S16	93	(iterative\$4 near2 (clean\$4 adjust\$4 modif\$4)) near2 (record entry row data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 17:27
S17	108	(iterative\$4 near2 (clean\$4 adjust\$4 modif\$4 format\$4 reformat\$4)) near2 (record entry row data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 17:35
S18	132621	(match\$4 compare comparing comparison select\$4) near2 (index key record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 17:47
S19	101	S18 and ((data or record or entry or information) near2 (match\$4 or query\$4 or selecting)) same ((fuzzy or "near") near2 (match\$4 or comparing or comparison or compare\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 17:46

## EAST Search History

S20	554	S18 and (((no not failed failure) near2 (match comparison compare comparison comparing)) same ((add adding added creat\$4 generat\$4 insert\$4) near3 (record entry data key index)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 17:47
S21	8	S20 and (((iterative\$4 repeat\$4) near2 (clean\$4 adjust\$4 modif\$5 edit\$4 reformat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 17:47
S22	100	S18 and ((data or record or entry or information) near2 (match\$4 or query\$4)) same ((fuzzy or "near") near2 (match\$4 or comparing or comparison or compare\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 17:46
S23	47789	(match\$4 compare comparing comparison) near2 (index key record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 17:47
S24	464	S23 and (((no not failed failure) near2 (match comparison compare comparison comparing)) same ((add adding added creat\$4 generat\$4 insert\$4) near3 (record entry data key index)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 17:47
S25	2	S24 and (((iterative\$4 repeat\$4) near2 (clean\$4 adjust\$4 modif\$5 edit\$4 reformat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 17:48
S26	194	S24 and ((clean\$4 adjust\$4 modif\$5 edit\$4 reformat\$4) near3 (record data entry key index))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 17:49
S27	1	((upon on when) near3 (match\$4 comparison)) same (((generat\$4 creat\$4 make making) near3 (index key)) with ((matched compared) near3 (data input record)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 22:40

## EAST Search History

S28	140	((upon on when) near3 (match\$4 comparison)) same ((generat\$4 creat\$4 make making) near3 (index key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 22:41
S29	0	S28 and (clean\$4 near2 (key index))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 22:42
S30	4	S28 and (best near2 (key index))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/16 22:42
S31	4096	(column attribute) same (record\$4 log logging) same (step routine function) same (key index candidate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 10:19
S32	469	(column attribute) with (record\$4 log logging) with (step routine function) with (key index candidate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 10:20
S33	40	(column attribute) near4 (record\$4 log logging) near4 (step routine function) near4 (key index candidate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 10:28
S34	2	(key index) near3 ((timestamp time) with ((recent last) near2 (use access)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 10:29
S35	209	(key index) with ((timestamp time) with ((recent last) with (use access)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 10:29

## EAST Search History

S36	75	(key index) with ((timestamp time) with ((recent last) near3 (use access)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 11:19
S37	23	(index\$4) with (record entry data) with (("near" close substantial potential) near2 match)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 11:25
S38	2	((generat\$4 creat\$4 make making) near3 (key index)) with (record entry data) with (("near" close substantial potential) near2 match)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 11:47
S39	2	S38 and (match same index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 13:13